



Renal system anatomy and physiology





Across

- 1 movement of water through a semipermeable membrane (7)
- 7 urine enters this area of the kidney from the calyces (6)
- 8 substance which increases urine volumes (8)
- 10 bean shaped organ in the pelvic cavity (6)
- 11 when no urine is produced (6)
- 13 the activated form of vitamin D (10)
- 14 this form of reabsorption takes place from the nephrons (9)
- 17 a substance released from the juxtaglomerular cells (5)

Down

- 2 normal plasma range is 135 - 146 mmol/L (6)
- 3 reduced production of urine (8)
- 4 all of these protein building units are reabsorbed from the nephron (10)
- 5 structure for the storage of urine (7)
- 6 apparatus in afferent arteriole (15)
- 9 name of the loop (5)
- 12 a ball of capillaries in the renal corpuscle (10)
- 13 the outer part of an organ (6)
- 15 fluid passes into this from the nephron (14)
- 16 the inner part of an organ (7)

- 18** name of the renal capsule (7)
- 20** soluble, relatively non-toxic nitrogen containing waste molecule (4)
- 22** transports blood from aorta to kidney (11)
- 24** ions in the plasma (12)
- 28** the arteriole which leaves the glomerulus (8)
- 31** endocrine hormone released by the kidney (14)
- 32** tube from kidney to bladder (6)
- 33** structures which receive urine from the renal papillary ducts and pass it through to the renal pelvis (5)
- 34** angiotensin converting enzyme (3)
- 35** process of substances passing from the capillaries into a renal tubule (16)
- 36** an effect of angiotensin II (16)
- 19** physiological process for the formation of glomerular filtrate (15)
- 21** arteriole carrying blood towards the glomerulus (8)
- 23** all of this carbohydrate is reabsorbed by the nephron (7)
- 25** formed from the metabolism of creatine, normal plasma levels are 79 - 118 $\mu\text{mol/L}$ (10)
- 26** include sodium, potassium, chloride and calcium ions (12)
- 27** microscopic functional unit of kidneys (7)
- 29** cells forming visceral layer of bowmans capsule (9)
- 30** normal plasma levels of this electrolyte are 3.5 - 5 mmol/L (9)